Calculation Policy: Subtraction

Key language: take away, less than, the difference, subtract, minus, fewer,

decrease, reduction (taking away), minuend, subtrahend Minuend Subtrahend Difference



EYFS

using quantities and objects, they subtract two single-digit numbers and count back to find the answer.

Concrete	Pictorial	Abstract
Physically taking away and removing objects from a whole (ten frames, Numicon, cubes and other items such as beanbags could be used).	Children to draw the concrete resources they are using and cross out the correct amount. The bar model can also be used.	4-3= = 4-3
Focus on the language of 1 less		3 ?
	Ø Ø Ø O	4
	XXX	? 3

Counting back - Also used in Band 1

Use counters and move them away from the group as you take them away counting backwards as you go.




Make the larger number in your subtraction. Move the beads along your bead string as you count backwards in ones.






Counting back (using number lines or number tracks) children start with 6 and count back 2.

$$6 - 2 = 4$$



Also used in Band 1


Count back on a number line or number track



Start at the bigger number and count back the smaller number showing the jumps on the number line.


This can progress all the way to counting back using two 2 digit numbers for later bands.

$$57 - 23 = 24$$



Children to draw their own number lines.


Children to represent what they see pictorially e.g.




Children to represent the calculation on a number line or number track and show their jumps. Encourage children to use an empty number line

Put 13 in your head, count back 4. What number are you at? Use your


fingers to help.





• subtract one-digit and two-digit numbers to 20, including zero.

Part-part whole model




Link to addition- use the part whole model to help explain the inverse between addition and subtraction.

If 10 is the whole and 6 is one of the parts. What is the other part?


Link numbers to stories to give them a context, e.g. There are 10 children in the park. 6 are on the swings, the rest are on the slides. How many on the slides?

There are 10 cakes on the plate. We ate 6, how many are left?

Use a pictorial representation of objects to show the part whole model.




Move to using numbers within the part whole model.




Children can create stories themselves about the part-part whole model.


Finding the difference (using cubes, Numicon or Cuisenaire Children to draw the cubes/other concrete objects which Find the difference between 8 and 5. rods, other objects can also be used). they have used or use the bar model to illustrate what they need to calculate. 8-5, the difference is [] Calculate the difference between 8 and 5 Children to explore why 9 - 6 = 8 - 5 = 7 - 4 have the same difference Compare amounts and objects to find the difference. Hannah has 23 sandwiches, Helen has 15 sandwiches. Find the Count on to difference between the number of find the sandwiches. difference. Use cubes to build towers or make bars to find the difference **Comparison Bar Models** Lisa is 13 years old. Her sister is 22 years old. Draw bars to Find the difference in age between them. Use basic bar models with items to find the difference find the difference between two numbers. 22



Children to present the ten frame pictorially and discuss what they did to make 10.



Children to use a number line



Children to draw their own number line.


Children to show how they can make 10 by partitioning the subtrahend.


$$14 - 5 = 9$$

$$14 - 4 = 10$$


 $10 - 1 = 9$

- subtract numbers using concrete objects, pictorial representations, and mentally, including:
 - a two-digit number and ones
 - a two-digit number and tens
 - two two-digit numbers






Column method using base 10 and having to exchange. 41–26




Represent the base 10 pictorially, remembering to show the exchange.



Expanded column method 41 – 26 = 15

$$\begin{array}{c|cccc}
 & / & | \\
 & 20 & 6 \\
 & 41 - 20 = 21 \\
 & 21 - 6 = 15
\end{array}$$

Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because 41 = 30 + 11.



- subtract number mentally, including:
 - a three-digit number and ones
 - a three-digit number and tens
 - a three-digit number and hundreds
- subtract numbers with up to three digits, using formal written methods of columnar addition and subtraction
- solve problems including missing number problems, suing number facts, place value, and more complex subtraction

Concrete	Pictorial	Abstract
Column method using dienes 48-7 10s 1s 10s 1s 4 1	Children to represent the dienes pictorially.	4 8 - 7 4 I
Column method using base 10 and having to exchange. 41–26 10s 1s 10s 1s 10s 1s 1 5 5	Represent the base 10 pictorially, remembering to show the exchange.	Expanded column method 41 - 26 = 15 20 = 6 41 - 20 = 21 21 - 6 = 15 or 41 - 6 = 35 35 - 20 = 15

Page **9** of **12**

		Formal column method. Children must understand that when they have exchanged the 10 they still have 41 because 41 = 30 + 11.
Column method using place value counters. 234 – 88 100s 10s 1s 100s 1s 1s 100s 1s	Represent the place value counters pictorially; remembering to show what has been exchanged.	Formal column method. Children must understand what has happened when they have crossed out digits. 234 - 88 - 6

- subtract numbers with up to 4 digits using the formal written methods of columnar subtraction where appropriate
- estimate and use inverse operations to check answers to a calculation
- solve addition and subtraction two-step problems in contexts, deciding which operations and methods to use and why.

Concrete	Pictorial	Abstract
See earlier bands for strategies to use.		


- subtract whole numbers with more than 4 digits, including using formal written methods (columnar subtraction)
- subtract numbers mentally with increasingly large numbers
- solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why.

Concrete	Pictorial	Abstract
See earlier bands for		
strategies to use.		

- perform mental calculations, including with mixed operations and large numbers
- use their knowledge of the order of operations to carry out calculations involving the four operations
- solve addition and subtraction multi-step problems in contexts, deciding which operations and methods to use and why.

Concrete	Pictorial	Abstract
See earlier bands for strategies to use.		

Conceptual variation; different ways to ask children to solve 391 - 186



Raj spent £391, Timmy spent £186. How much more did Raj spend?

Calculate the difference between 391 and 186.

